
Overview of Designing Biochars to Improve Soil Health Characteristics at Two Superfund Sites







J.M. Novak, M.G. Johnson, J.A. Ippolito, K.A Spokas, K. Trippe, T.F. Ducey, and G.C. Sigua Biochar 2016 Conference, Corvallis, OR



Introduction:







For almost 10 years, our team has made numerous presentations on feedstocks, pyrolysis process and biochar chemistry...





Biochar and mine spoils

We have design biochars for soil health improvements

Mine spoil remediation:

Formosa mine site












Tri-State mine site
















Chemical properties of mine spoils:

Formosa mine site

- Acidic pH < 3
- [Cu] & [Zn] @ 50-60 ppm
- Low P & SOC contents
- High [SO₄⁼] Gypsum
- Poor water retention
- Poor microbial diversity

Tri-State mine site

- Total [Zn] ≈ 2500 ppm
- Total [Cd] & [Cu] ≈ 70 ppm
- Variable surface textures (sands to clay)
- Poor K_{sat}
- Coarse fragments





Guidelines for designer biochar selection:


Establish soil/spoil deficiency







Select the appropriate designer biochar from the 'biochar tool box'









Determine biochar application rate, morphology, and application method

Application rate

Pellet vs. dust

Application method

Designing relevant biochars:

Single feedstock/blend	Pyrolysis (°C)	Particle size	Soil impact
Switchgrass	250 to 500	Dust (< 0.42-mm)	+ water storage
Hardwoods	350 to 700	Dust (<0.42-mm)	+ water storage
Pecan shells	700	Dust (< 0.42-mm)	+nutrients/lime
Loblolly pine chips	350 to 700	Dust, pellets (> 2-mm)	C sequestration
Pine chips/poultry litter	350 to 700	Dust, pellets (> 2-mm)	C sequestration & balance soil [P]
*Gasified dairy manure	> 700	Flakes (2-6 mm)	Metal binding & adds [P]
*Lodge pole pine	500	Flakes (2-6 mm)	Metal binding
*Miscanthus	500	Flakes (> 2-mm)	Metal binding

Formosa mine site (Riddle, OR):

- spoil issue (solution):
 - Acidic (calcareous biochar or lime)
 - Low [P] & [K] (manure biochar or fertilizer)
 - [Cu] & [Zn] binding (high temp > 500°C biochar)
 - Low OC content (biochar or composts)
 - Poor water retention (grass biochar)

- 2015 (1st GH study)
 - Used gasified dairy manure biochar (52% ash, pH = 10.7)
 - Lime (Cao) & poultry litter



We were able to improve soil fertility resulting in rye and wheat growth, but couldn't separate impact of lime vs. biochar

Formosa mine site (Riddle, OR):

2016 Greenhouse study

- Used Miscanthusbiochar (18.5% ash, pH = 10)
- Added 0.8% lime (CaO)
- Added N-P-K
- Planted Wild Blue rye
 (Native species for OR)
- Had lime vs. no lime trt.
- Had biochar vs. no biochar trt.



5% Miscanthus biochar + N + 0 CaO



Mean rye seed germination in Formosa:

All pots (n = 4) treated with lime

Biochar (%)	Day 15	Day 18
0	14 (11)	18 (9)
1	15 (4)	18 (4)
2.5	11 (8)	16 (6)
5.0	13 (4)	19 (5)




Formosa + 5% biochar + N + lime

All pots (n = 4) treated with 0 lime

Biochar (%)	Day 35	Day 49
0	0	0
1	0	1
2.5	1	1.3 (1)
5.0	1	2.8 (2.1)



Formosa + 5% biochar + N + 0 lime



Mehlich 3 extractable Cu concentrations measured in Formosa spoil after treatment with lime and Miscanthus biochar (2-way ANOVA, p < 0.05)

Biochar (%)	Lime	0 lime
0	18.4 a,z	30.3 b,a
1	13.2 a,a	36.6 b,a
2.5	17.6 a,a	30.0 b,a
5	13.5 a,a	28.7 b,a
average	15.7a	30.8 b

First letter shows significance differences between columns (lime vs. 0 lime) Second letter shows significant differences within a column (%biochar vs. lime, and 0 lime).

Mehlich 3 extractable Zn is more impacted by lime than by the amount of Miscanthus biochar.

Mehlich 3 extractable Zn concentrations measured in Formosa spoil after treatment with lime and Miscanthus biochar (2-way ANOVA, p < 0.05)

Biochar (%)	Lime	0 lime
0	37.3 a,a	35.3 a,a
1	21.0 a,a	54.1 b,a
2.5	40.0 a,a	42.8 a,a
5	34.4 a,a	42.0 a,a
average	33.2 a	43.6 b

First letter shows significance differences between columns (lime vs. 0 lime) Second letter shows significant differences within a column (%biochar vs. lime, and 0 lime).

Mehlich 3 extractable Zn is more impacted by lime than by the amount of Miscanthus biochar.

What did we learn:



- Rye plant growth was improved with lime addition.
- Miscanthus biochar had minimal impact on binding Cu & Zn in the presence of lime (Ca0 at 0.8 g/kg).
- Was Miscanthus biochar the appropriate selection with respect to metal binding or was it a benefit to solve other issues (water holding, microbial populations, etc.)?
- Compost could be used to improve OC content, as a food source for microorganisms, and begin aggregate formation.
- Alternative soil amendments (wood-based, fresh manure, compost blend) to add long-term OC material, plant nutrients, and easily degraded OC compounds.

Tri-State mine site (KS-OK-MO):







item	Range in value	
CEC (meq/100 g)	6.6 – 53.6	
рН	4.5 – 5.70	
M3 P (ppm)	1 18	
M3 K (ppm)	60 168	
M3 Cu (ppm)	0.8 – 27.3	
M3 Zn	12.9 <mark>2688</mark>	



Plant trials in Tri-State mine spoils:



Corn, soybean, and wild blue rye plant growth on day 28. Corn showing metal toxicity symptoms (yellowing of leaves and eventual necrosis).

Tissue Zn concentrations of 20 -70 mg/kg indicates corn uptake sufficiency level (www.soilfertility.info/zincdeficiencycorn.pdf)

Mean metal concentrations in Tri-state mine spoil and elements taken up by corn stems and roots (using 4M HNO3 as digest solution)

	Mine spoil (mg/kg)		Mine spoil (mg/kg) Plant uptake (mg/kg)	
<u>element</u>	<u>Total</u>	Mehlich 3	<u>Stems</u>	<u>roots</u>
Cd	72	67	na	na
Cu	67	30	30	195
Zn	2,225	1,049	1,848	2,715

Conclusions: Quantify and design biochars for improving soil health deficiencies. Improve spoil conditions for better phytostablization of mine spoils, Dr. Mark Dialogue with biochar stakeholders Johnson, **US EPA** involved with production, formulation, etc. Acknowledgement: Research funds provided through an Interagency Agreement between the USDA-ARS and US EPA. Gratitude is expressed to Don Watts, Tillman Meyers, Hannah Rushmiller, and E. Brooke Hayword for assistance with laboratory and greenhouse experiments.